

China

T/T

20T/week

Lubekote

5-15 working days

Polyurethane PU Mold Release Agent White Liquid for shoe sole demoulding

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: XXXXX None
- Minimum Order Quantity: • Price:
- 1-99 usd 25L, 200L
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Classification:
- Name:
- Brand Name:
- Appearance:
- Odor:
- Place Of Origin:
- Application:
- Mould Temperature:
- Diluent:
- Highlight:

Chemical Mold Release Agent Lubekote White Liquid Slight China PU Shoe Sole Demoulding

35-45°C

Deionized Or Distilled Water

PU Mold Release Agent White Liquid, Shoe Sole Demoulding Mold Release Agent, PU Shoe Soles Mold Release Agent.





Water Based Release Agent for PU/Polyurethane Shoe Sole Factory China Lubekote 75-9017

Properties:

Colour: white Density: 0.97-1.03 g/cm³ Shelf life: 12 months **Application Field:** PU shoe soles.

Advantages:

Easy to use Enviromental friendly Prevents build up on the molds Non greasy, non contaminating coating Excellent performance of produced parts Excellent release properties **Application:** Molds should be clean before using 75-9017.We recommend our cleaner CL 909. Apply a thin coat of 75-9017. Wait until the water is evaporated. Start production More Lubekote release agent:

| Application | Suitable code | Dispersing medium | Advantages |
|---------------|-------------------|----------------------|--|
| CPU | Lubekote 9120 | Water based | Environmentally friendly; Easy to apply; Prolongs the mold cleaning cycle. |
| CPU | Lubekote 9020 | Solvent based | Highly diluted; Multiple releases; Gloss finish. |
| Rigid foam | Lubekote 9701 | Solvent based | Dry surface; Good performance on post process; Dilutable. |
| Rigid foam | Lubekote 925L | Solvent based | Excellent and multiple releases; Highly diluted. |
| Flexible foam | Lubekote 9820A | Water based | Environmentally friendly; Low VOC; Delicate skin, highly diluted; Less contaminating mold. |
| ISF | Lubekote 9810G | Water based | 5~10 times dilution; Cost-effective; Less contaminating mold; strong demolding; Universal for all ISF. |
| Encapsulation | Lubekote 9808E | Water based | Matt finish; Excellent performance of produced parts; Less contaminating mold; strong demolding; Universal for all encapsulation. |











Shanghai LoreChem 's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.

