Shanghai Lorechem Company Limited shlorechem.com

Car Filter PU Mold Release Agent High Dilution Excellent Release Properties

Basic Information

Place of Origin: China
Brand Name: Lubekote
Model Number: xxxxx
Minimum Order Quantity: None
Price: 1-99 usd
Packaging Details: 25L, 200L

• Delivery Time: 5-15 working days

Payment Terms: T/TSupply Ability: 20T/week



Product Specification

Classification: Chemical

Name: Mold Release Agent

Brand Name: LubekoteOdor: SlightPlace Of Origin: China

Application: Car Filter Demoulding

• Highlight: Car Filter PU Mold Release Agent,

PU Mold Release Agent High Dilution, Chemical urethane release agent

Product Description

PU Mold Release Agent for Car Filter High Dilution Excellent Release Properties

Application Field:

LUBEKOTE release agent is widly used for car filter.

Advantages:

High dilution

Dry surface

Prevents build up on the molds

No rust on mold

Excellent performance of produced parts

Excellent release properties

Application:

The mold should be thoroughly cleaned.

Mold cleaning and release agent application should be performed in a well ventilated area.

Apply a thin coat at process temperature. It is recommended to apply at least two coats at the beginning.

After a short drying time it is ready to make production.

Reapply a light coat when necessary.


Handling precautions:

For industrial use only.

Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.

More release agent for PU industry:

More release agent for the madely.			
Application	Suitable code	Dispersing medium	Advantages
СРИ	Lubekote 9120	Water based	Environmentally friendly; Easy to apply; Prolongs the mold cleaning cycle.
CPU	Lubekote 9020	Solvent based	Highly diluted; Multiple releases; Gloss finish.
Rigid foam	Lubekote 9701	Solvent based	Dry surface; Good performance on post process; Dilutable.
Rigid foam	Lubekote 925L	Solvent based	Excellent and multiple releases; Highly diluted.
Flexible foam	Lubekote 9820A	Water based	Environmentally friendly; Low VOC; Delicate skin, highly diluted; Less contaminating mold.
ISF	Lubekote 9810G	Water based	5~10 times dilution; Cost-effective; Less contaminating mold; strong demolding; Universal for all ISF.
Encapsulati on	Lubekote 9808E	Water based	Matt finish; Excellent performance of produced parts; Less contaminating mold; strong demolding; Universal for all encapsulation.









Technical support



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem 's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.

Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai