

Chemical Water Based PU Tire Release Agent Environmentally Friendly

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: xxxxx
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



Product Specification

- Classification: Chemical
- Name: PU Tire Release Agent
- Brand Name: Lubekote
- Odor: Slight
- Place Of Origin: China
- Diluent: Water
- Highlight: **PU Tire Release Agent,
Water Based Tire Release Agent,
Environmentally Friendly tire mold release**

Product Description

Water Based PU Tire Release Agent Lubekote 9129H

Description:

Lubekote 9129H is a lubricant and release system designed for polyurethane tire.
Lubekote 9129H is a concentrate. It can be diluted with solvent.

Properties:

Appearance: Clear liquid

Shelf life: 24 months

Density: 0,97-1,01 g/cm³

Advantages:

Easy application

Low odour

No build- up

Excellent lubrication properties

Excellent release properties

Excellent surface (matt finish)

Application:

Dilute the product with a solvent to a suitable solid content. Naphtha and heptane are recommended. Generally it can be diluted by adding 5-15 parts of solvent. Thoroughly clean the mold surface. Apply at least two uniform, thin coats at process temperature. Allow a short drying time. Reapply a light coat at process temperature when required to maintain desired release and lubrication.

Handling precautions:

For industrial use only.


Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.

More release agent for PU industry:


Application	Suitable code	Dispersing medium	Advantages
CPU	Lubekote 9120	Water based	Environmentally friendly; Easy to apply; Prolongs the mold cleaning cycle.
CPU	Lubekote 9020	Solvent based	Highly diluted; Multiple releases; Gloss finish.
Rigid foam	Lubekote 9701	Solvent based	Dry surface; Good performance on post process; Dilutable.
Rigid foam	Lubekote 925L	Solvent based	Excellent and multiple releases; Highly diluted.
Flexible foam	Lubekote 9820A	Water based	Environmentally friendly; Low VOC; Delicate skin, highly diluted; Less contaminating mold.
ISF	Lubekote 9810G	Water based	5~10 times dilution; Cost-effective; Less contaminating mold; strong demolding; Universal for all ISF.
Encapsulation	Lubekote 9808E	Water based	Matt finish; Excellent performance of produced parts; Less contaminating mold; strong demolding; Universal for all encapsulation.









Warehousing and logistics



It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.







Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of LubeKote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem 's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai