

## Universal Slip Solvent Based Mold Release Agents For Rubber Conveyor Belt Demolding

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: xxxxx
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



### Product Specification

- Classification: Chemical
- Name: Solvent Based Mold Release Agent
- Brand Name: Lubekote
- Odor: Slight
- Place Of Origin: China
- Application: Demolding For Rubber Conveyor Belt
- Diluent: Solvent
- Highlight: **Solvent Based Mold Release Agents, Chemical rubber mould release agents, Conveyor Belt rubber mould release agents**

for more products please visit us on [shlorechem.com](http://shlorechem.com)

## Universal High Slip Solvent Based Mold Release Agents For Rubber Conveyor Belt Demolding

### Product Specifications

<b>Classification:</b>	Chemical
<b>Name</b>	Solvent based Mold Release Agent
<b>Brand Name</b>	Lubekote
<b>Odor</b>	Slight
<b>Place of Origin</b>	China
<b>Application</b>	Demolding for Rubber Conveyor Belt
<b>Diluent</b>	Solvent

### Product Description

#### Universal Type High Slip Water based Mold Release Agent for Rubber Conveyor Belt Demolding

The conveyor belt, also known as the conveyor belt, is the transmission medium in the belt system. Belt system is a kind of transmission system, the system will consist of two or more pulleys, above the belt, pulley can be unlimited rotation of the belt. One or more of the pulleys will drive the belt and carry the material on the belt. The pulleys that are powered will be called driving pulleys, and the rest are called idlers. There are two industrial applications of conveyor belts: in factories, where materials are handled by placing materials or objects in boxes or pallets, and in bulk where large quantities of materials or agricultural products (e.g. grain, salt, coal, ore, sand, or mulch) are handled.

### Key Advantages

- Instantaneous drying at room temperature
- Strong sliding
- Stable isolation effect
- Less surface defects
- Excellent surface

### Application Instructions

- Molds should be clean before using
- Apply a thin coat of our release agent
- Wait until the water is evaporated
- Start production

### Additional Release Agents for Rubber Industry


Appl icati on	Suit able Cod e	Dis per sin g Me diu m	Advantages

Antivibraton	Lubekote 942 1A/ 914 0	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.
Antivibraton	Lubekote 952 6	Solvent based	It has strong durability and good releasing effect; Excellent performance of surface gloss; Economical dosage; Prolongs the mold cleaning cycle. Excellent performance of surface gloss; Cost-effective; Good performance on post process; Prolongs the mold cleaning cycle applied as both semi-permanent and highly diluted.
Antivibraton	Lubekote 942 5	Solvent based	It has strong durability and good releasing effect; Less build-up on molds; Cost-effective; Good performance on post process.
Hose	Lubekote 924 0	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations
Hose	Lubekote 980 8	Solvent based	Non greasy, non contaminating coating; Good releasing effect; Excellent performance of produced parts.
Belt	Lubekote 983 6A	Water based	Environmentally friendly; Good releasing effect.
Belt	Lubekote 932 8	Solvent based	Fast drying; Good releasing effect; Cost-effective.
Tire	Lubekote 991 9	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 950 2A/ 950 3A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.

Silicone & Fluorine rubber	Lubekote 916 5C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;
----------------------------	-----------------	-------------	---



**Handling precautions: For industrial use only.**





## Warehousing and logistics



It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.












## Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



### About Shanghai LoreChem Co., Ltd.

Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry. Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai