

Solvent Based Shoe Sole Release Spray High Dilution Strong Release Power

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: TS-71-9062
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



Product Specification

- Product Line: Lubekote Ts-71-9062
- Product Name: Solvent Based PU Footware Mold Release Agent Manufacture High Dilution
- Shelf Life: 12 Months
- Status: Liquid
- Brand Names: Lubekote
- Dilution: 1:15
- Highlight: **Excellent Shoe Sole Release Spray, Low Odour Shoe Sole Release Spray**

Product Description

solvent Based Shoe Sole Release Spray High Dilution Strong Release Power

Product Description:

Our long-term goal is to become one of the best suppliers of release agent in Asia. To achieve this, we have developed products that are highly effective and reliable. is a concentrate liquid that can be easily applied to molds and has no effect on the post process. Our PU Mold Release Agent Lubekote TS-71-9062 is suitable for use in high dilution, making it a cost-effective solution for footwear factories. It is also highly efficient, ensuring that molds are released quickly and easily.

Features:

Product Name: PU Mold Release Agent

Type: Solvent Base Concentrate

Product Category: PU Mold Release Agent

Application: PU Shoe Sole, PU Slippers, PU Sandal, And Other Footwear Factories, Etc.

Features:

Acts as a shoe sole release agent, providing easy release of the sole from the mold

Leaves a bright finish on the sole surface

Can be applied using a shoe sole release spray

Technical Parameters:

Package	20L/200L
Application	PU Shoe Sole, PU Slippers, PU Sandal, And Other Footwear Factories, Etc.
Status	Liquid
Advantages	1.Easy application 2. Low odour 3. No build-up 4. Excellent release properties 5. Excellent surface

Applications:

- 1.Start by diluting the product to achieve the desired solid content. We suggest using naphtha or heptane as suitable solvents.
- 2.The recommended dilution ratio is adding 10-30 parts of solvent to the product. Feel free to adjust the ratio according to your specific requirements.
3. Prior to applying the release agent, ensure that the mold surface is thoroughly cleaned.
4. When the mold is at the process temperature, carefully apply at least two thin and even coats of the release agent onto its surface.
5. Allow a brief drying period for the applied coats to set and adhere effectively.
6. If needed, you can reapply a light coat of the release agent at the process temperature to maintain the desired level of release and lubrication.

Support and Services:

The PU Mold Release Agent provides excellent release properties for polyurethane (PU) and other elastomeric materials. Our technical support and services for this product include:

Expert advice on the best application methods for optimal results

Assistance with product selection and customization to meet specific customer needs

On-site support for process optimization and troubleshooting

Training and education on proper handling, storage, and disposal of the product

Product testing and analysis to ensure consistent quality and performance

Our team is dedicated to providing exceptional customer service and ensuring that our customers achieve the best possible results with our PU Mold Release Agent.

Packing:

Product Packaging: 20L, 200L



Warehousing and logistics



It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.



Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai