

Lubekote Silicone Rubber Mold Release Agent for Industrial Use

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: xxxxx
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



Product Specification

- Classification: Chemical
- Name: Silicone Rubber Mold Release Agent
- Brand Name: Lubekote
- Odor: Slight
- Place Of Origin: China
- Color: White
- Highlight: Rubber Mold Release Agents Chemical, Mold Release Agents for Silicone Parts, Low Friction Silicone Mould Release Agent



Product Description

Silicone Rubber Mold Release Agent - Lubekote 9700S

Product Specifications

Attribute	Value
Classification	Chemical
Name	Silicone Rubber Mold Release Agent
Brand Name	Lubekote
Odor	Slight
Place of Origin	China
Color	White

Product Description

Excellent Anti-Stick Rubber Mold Release Agent for Silicone Rubber Parts

Lubekote 9700S is a concentrated polymer solution for silica gel release agent, featuring low friction and excellent release anti-stick properties. This release agent is primarily used for various rubber products such as rubber dies, and demonstrates equally effective demoulding performance on both metal and non-metal mold surfaces.

Key Advantages

- Clean, colorless coating
- Free from wax, stearic acid, and silicone oil
- No curing time required
- Forms durable bond with mold surface for repeated demoulding
- Does not interfere with subsequent molding, printing, or bonding processes
- Non-transferring to molded surfaces
- Prevents crepe stripes formation
- Maintains mold cleanliness over extended periods
- Superior alternative to mica powder, talc powder, stearic acid, wax, and silicone oil

Application Guidelines

For optimal release performance, ensure the mold surface is clean and dry. Remove all traces of previously used release agents. Application methods include spraying, scraping, or brushing, with spraying being most effective. For best results, heat the coating surface above 100°C during application to ensure complete water evaporation.

New molds require two coating layers. During initial cycles, reapply release agent between each cycle. Once the mold reaches ideal condition, one application can last multiple cycles. Dilution with deionized water at 20-40:1 ratio or higher is recommended depending on specific process requirements.

Handling Precautions

For industrial use only.

Related Products for Rubber Industry

Application	Product Code	Dispersing Medium	Advantages
Antivibration	Lubekote 9421A/9140	Water based	Environmentally friendly; Excellent durability and release performance; Cost-effective; Extends mold cleaning cycle
Antivibration	Lubekote 9526	Solvent based	Strong durability; Excellent surface gloss; Economical usage; Extends mold cleaning cycle
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers and drums
Tire	Lubekote 9919	Water based	Semi-permanent lubricant for tire bladders; Provides multiple releases; Universal for all tires





Warehousing and logistics




It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.



Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



About Shanghai LoreChem Co., Ltd.

Established in 2008, Shanghai LoreChem Co., Ltd. is a high-tech enterprise specializing in release products including semi-permanent release agents, anti-sticking solutions, surface lubricants, and thermal reactive adhesives. With 15 years of continuous quality improvement, our Lubekote release agents and Thinkbond adhesives are well-recognized brands in the industry.

We serve domestic and international high-end manufacturing enterprises with professional technical solutions. Our long-term goal is to become one of Asia's premier release agent suppliers.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai