



Environmentally Friendly Rubber Mold Release Agent Anti Stick Operational Additives

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: xxxxx
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



Product Specification

- Classification: Chemical
- Name: Rubber Anti-stick Agent
- Brand Name: Lubekote
- Odor: Slight
- Place Of Origin: China
- Highlight: **Environmentally Friendly Rubber Mold Release Agents**
, Anti Stick Rubber Mold Release Agent,
Rubber mold release Anti stick agents

for more products please visit us on shlorechem.com

Product Description

Lubekote Rubber Anti-Stick Agent Prevent Bonding Keep Clean

Rubber anti-stick is a rubber processing film anti-stick, is a class of operational additives. LubeKote anti-stick agent aqueous solution can form a thin layer of isolation film on the surface of the rubber material, its main role is to prevent the surface of the film or semi-finished product mutual bonding, often used in raw rubber and rubber material plasticizing, mixing, pressing and molding operations, etc. Prevent adhesion of unvulcanized film and mixed film during parking.

It is suitable for common kinds of raw rubber, synthetic rubber with anti-stick isolation process and high pressure hose extrusion demoulding process.

Product features:

Suitable for all rubber products, because N98 can give the rubber surface good smoothness, so in each process can effectively prevent rubber bonding.

Dilute with water and then use, compared with the traditional powder separator, there will be no problems caused by uneven application of raw rubber surface or powder flying everywhere, resulting in pollution of the working environment and harm to human health;

This product does not affect the bonding between the rubber layers after vulcanization, and the bonding between the rubber layers is complete, and will not affect the physical properties of the vulcanized product.

The processed products have beautiful and smooth surface, no slip phenomenon, and clean operating environment on site; Rubber products will not bring pollution traces and other problems.

If used as a stripping agent, the stripping effect is excellent, and the surface of the product after vulcanization is smooth and clean as new.

Handling precautions:

For industrial use only.

More release agent for Rubber Industry:

Application	Suitable code	Dispersing medium	Advantages
Antivibration	Lubekote 9421A/9140	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.
Antivibration	Lubekote 9526	Solvent based	It has strong durability and good releasing effect; Excellent performance of surface gloss; Economical dosage; Prolongs the mold cleaning cycle. Excellent performance of surface gloss; Cost-effective; Good performance on post process; Prolongs the mold cleaning cycle applied as both semi-permanent and highly diluted.
Antivibration	Lubekote 9425	Solvent based	It has strong durability and good releasing effect; Less build-up on molds; Cost-effective; Good performance on post process.
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations
Hose	Lubekote 9808	Solvent based	Non greasy, non contaminating coating; Good releasing effect; Excellent performance of produced parts.
Belt	Lubekote 9836A	Water based	Environmentally friendly; Good releasing effect.
Belt	Lubekote 9328	Solvent based	Fast drying; Good releasing effect; Cost-effective.
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.
Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;



Warehousing and logistics



It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.





Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry. Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



Shanghai Lorechem Company Limited



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai