

## Liquid Tyre Release Agent Non Toxic Solution For Easy And Smooth Demolding

Our Product Introduction

for more products please visit us on [shlorechem.com](http://shlorechem.com)

### Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: 9919



### Product Specification

- Color: Transparent/white
- Form: Liquid
- Clean Up: Water
- Application: Tire Mold Release
- Shelf Life: 1 Years
- Storage: Sealed Storage
- Product Name: Tire Release Agent
- Solubility: Soluble In Water
- Highlight: **Tyre Mold Release Agent OEM ,  
Liquid Form Tyre Release Agent ,  
Smooth Demolding Tyre Release Agent**

## Product Description

### ProdLiquid Tyre Release Agent - Non-Toxic Solution for Easy and Smooth Demolding



#### Description:

Tire Release Agent is an ideal product for tire molding. It provides superior release and anti-sticking performance, making tire molding process easier, faster, and more efficient. It has a shelf life of 1 year and is easy to clean up with water. Tire Release Agent is non-toxic and has a mild odor, so it is safe to use. It is specially designed to meet the highest requirements of tire molding release performance. This Release Agents for Tire Molding is formulated with advanced technology to deliver superior release and anti-sticking performance on rubber molds. Its unique formulation is especially suitable for rubber mold release agent applications.

#### Features:

**Product Name:** Tire Release Agent

**Solubility:** Soluble In Water

**Clean Up:** Water

**Odor:** Mild

**Shelf Life:** 1 Years

Rubber Mold Release Agent : Yes  
Release Agents for Tire Molding : Yes

Technical Parameters:

Parameters	Details
Product Name	Tire Release Agent
Product Type	Release Agent
Application	Tire Mold Release
Form	Liquid
Solubility	Soluble In Water
Color	Transparent/white
Shelf Life	1 Years
Safety	Non-Toxic
Storage	Sealed Storage

Applications:

Lubekote Tire Release Agent 9502A/9503A/9165C is a rubber mold release agent, tire mold release agent, and tyre mold release agent specifically designed for use in the tire industry. It is a liquid form product, soluble in water and with a mild odor. It is produced in China and has a shelf life of one year. The tire release agent offers excellent protection for the rubber molds and the finished tire. It prevents sticking, sticking, and burning of tires during the manufacturing process. The product helps to reduce downtime and increase production efficiency. The tire release agent also helps to reduce the amount of time and energy necessary to clean molds after production.

Packing and Shipping:

Tire Release Agent Packaging and Shipping:  
Tire Release Agent is packaged in 5-gallon containers. The containers are then placed in cardboard boxes and securely sealed. The boxes are labeled with the product name, manufacturer, and a description of the contents. The boxes are then shipped via ground transportation to the customer.

FAQ:

- Q1: What is Tire Release Agent?**  
**A1:** Tire Release Agent is a lubricant used to help release tires from their molds during the manufacturing process. It is designed to lubricate the mold surface, reduce friction, and prevent sticking, thus allowing for easier removal of the tire from the mold.
- Q2: What is the Brand Name of Tire Release Agent?**  
**A2:** The Brand Name of Tire Release Agent is Lubekote.
- Q3: What are the Model Numbers of Tire Release Agent?**  
**A3:** The Model Numbers of Tire Release Agent are 9502A/9503A/9165C.
- Q4: Where is Tire Release Agent manufactured?**  
**A4:** Tire Release Agent is manufactured in China.
- Q5: What are the benefits of using Tire Release Agent?**  
**A5:** Tire Release Agent helps to reduce friction between the mold surface and the tire, preventing sticking and making it easier to remove the tire from the mold. It can also improve surface finish, reduce cycle time, and increase production efficiency.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai