

Water Based Tire Mold Release Agent Liquid With Mild Odor 1 Years Shelf Life

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: 9502A/9503A/9165C
- Minimum Order Quantity: None



Product Specification

- Storage: Sealed Storage
- Safety: Non-Toxic
- Solubility: Soluble In Water
- Clean Up: Water
- Odor: Mild
- Form: Liquid
- Product Type: Release Agent
- Shelf Life: 1 Years
- Highlight: **Mild Odor Tire Mold Release Agent ,
Water Based Tire Mold Release Agent ,
Tire Mold Release Agent Liquid**

ProductTire Mold Release Soluble In Water Tire Release Agent with Mild Odor



Description:

Tire Release Agent is a non-toxic and safe rubber mold release agent specifically designed for tire molds. It effectively releases tires from the mold while protecting the mold and providing a superior release finish. Tire Release Agent provides a superior release finish, ensuring that tires come out of the mold in perfect condition. It is packaged in sealed storage containers for long shelf life and stability. Tire Release Agent is easy to apply and can be used in a variety of tire molding processes, making it an ideal choice for tire molders. Tire Release Agent is the perfect choice for tire molders looking for a reliable and effective rubber mold release agent to ensure perfect tire molding results.

Features:

- Product Name:** Tire Release Agent
- Color:** Transparent/white
- Safety:** Non-Toxic
- Application:** Tire Mold Release
- Form:** Liquid

Technical Parameters:

Parameter	Value
Application	Tire Mold Release
Clean Up	Water
Color	Transparent/White
Solubility	Soluble In Water
Form	Liquid
Product Type	Release Agent
Storage	Sealed Storage
Odor	Mild
Safety	Non-Toxic
Product Name	Tire Release Agent

Applications:

Lubekote's 9502A/9503A/9165C Tire Release Agent is a specialized product developed to assist in the tire molding process. It is designed to provide superior performance on tire molding operations, and provide superior adhesion and release properties that are

essential for a successful tire molding process. This tire mold release agent is formulated to be water-based and provides superior clean-up and solubility. It also has a long shelf-life of 1 year and is available in a transparent or white color. The tire mold release agent is a crucial part of the tire molding process, as it prevents the tire from sticking to the mold and helps to ensure a high-quality tire production. This tire mold release agent is used in tire manufacturing and other rubber and plastics molding processes, and helps to ensure that the tire molds are properly released. This tire mold release agent is also suitable for use on rubber and plastic molds, and provides excellent adhesion and release properties. The Lubekote 9502A/9503A/9165C Tire Release Agent has been specifically designed for tire molding and it is an effective solution to improve the tire production process. It is designed to provide superior performance on tire molding operations, and to ensure that the tire molds are properly released. The tire mold release agent is also suitable for use on rubber and plastic molds, and provides excellent adhesion and release properties. It is an effective solution to improve tire production and ensure that the tire molds are properly released.

Packing and Shipping:

Packaging and Shipping for Tire Release Agent

Tire Release Agent is packaged in a container with a secure lid. To ensure product safety and integrity during shipping, the container must be protected by an outer box with an appropriate cushioning material. It should be marked with the description of the product, the name of the manufacturer, the product's weight, and the shipping destination. It should also bear an appropriate warning label for hazardous materials.

When shipping Tire Release Agent, it is important to use an appropriate carrier. It should be shipped by ground or air depending on the destination and the urgency of the shipment. All carriers must be made aware of the hazardous nature of the product, and the appropriate shipping and handling precautions must be taken.

FAQ:

Q1: What is Tire Release Agent?

A1: Tire Release Agent is a lubricant used to assist in the removal of tires from wheel rims and maintain the inflation pressure of tubeless tires. It is a high-performance, non-toxic, non-flammable, water-based lubricant.

Q2: What brand of Tire Release Agent should I use?

A2: We recommend using Lubekote Tire Release Agent with model numbers 9502A/9503A/9165C. It is made in China and is highly effective.

Q3: How do I use Tire Release Agent?

A3: Before removing a tire from a wheel rim, apply Tire Release Agent to the surface of the rim and tire bead. This will help reduce friction and make it easier to remove the tire.

Q4: How often should I use Tire Release Agent?

A4: We suggest using Tire Release Agent each time you remove a tire from a wheel rim. This will help ensure a safe and easy tire removal process.

Q5: Does Tire Release Agent have any safety hazards?

A5: No, Tire Release Agent is non-toxic, non-flammable and water-based. It is safe to use as long as it is handled carefully and used in accordance with the manufacturer's instructions.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai