

Water Based Rubber Mould Release Agent For Bisphenol System Fluorogel Skeleton Oil Seal

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: 9410A
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



Product Specification

- Product Name: Oil Seal Release Agent
- Classification: Bisphenol System Fluorogel Skeleton Oil Seal
- Odor: Slight
- Application: Rubber Parts Demolding
- Type: Water Based
- Highlight: **Water Based rubber mould release agents,
Mechanical Oil Seal rubber release agents,
Oil Seal water based mold releases**

for more products please visit us on shlorechem.com

Product Description

Water Based Rubber Mould Release Agent For Bisphenol System Fluorogel Skeleton Oil Seal

Lubekote 9410A is a semi-permanent water-based release system designed for moulding operations when non-transfer of release agent, high temperature stability, high degree of slip, and abrasion resistance of the release film are important.

Lubekote 9410A is water thin liquid and ready to use. The release system becomes functional after cure. The release film is micro thin and stable until 260°C.

Lubekote 9410A adheres to mould surfaces and provides multiple releases with virtually no transfer to moulded parts.

Lubekote 9410A reduces build-up on moulds when applied according to instructions.

Advantages:

Colour: white

Density: 1,0 g/cm³

Shelf life: 12 months

Application:

Molds should be clean before using.

Apply a thin coat of our release agent.

Wait until the water is evaporated.

Start production

Handling precautions:

For industrial use only.

Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.

Do not allow product to freeze.

More release agent for Rubber Industry:

Application	Suitable code	Dispersing medium	Advantages
Antivibration	Lubekote 9421A/9140	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.
Antivibration	Lubekote 9526	Solvent based	It has strong durability and good releasing effect; Excellent performance of surface gloss; Economical dosage; Prolongs the mold cleaning cycle. Excellent performance of surface gloss; Cost-effective; Good performance on post process; Prolongs the mold cleaning cycle applied as both semi-permanent and highly diluted.
Antivibration	Lubekote 9425	Solvent based	It has strong durability and good releasing effect; Less build-up on molds; Cost-effective; Good performance on post process.
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations
Hose	Lubekote 9808	Solvent based	Non greasy, non contaminating coating; Good releasing effect; Excellent performance of produced parts.
Belt	Lubekote 9836A	Water based	Environmentally friendly; Good releasing effect.
Belt	Lubekote 9328	Solvent based	Fast drying; Good releasing effect; Cost-effective.
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.
Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;





Shanghai Lorechem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai