

Solvent Based Rubber Release Agent For Anti-Vibration Lubekote 9526

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: 9526
- Minimum Order Quantity: None
- Price: 0-99usd
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



Product Specification

- Feature: Strong Durability And Good Releasing
- Storage Conditions: Store In A Cool, Dry Place
- Product Form: Liquid
- Compatibility: Compatible With Most Rubber Materials
- Package: 20L, 200L
- Type: Rubber Release Agent
- Advantages: Prolongs The Mold Cleaning Cycle
- Chemical Resistance: Excellent
- Highlight: **Solvent Based Rubber Release Agent ,
Anti-Vibration Mold Release Agent**

Solvent Based Rubber Release Agent for Anti-vibration Mold Release Agent

Product Description:

Lubekote 9526 is a release system designed for rubber and plastic materials. It is especially suitable for rubber such as NR, CSM, EPDM, FR, NBR, etc. It produces a durable film on the mold surface capable of providing many releases before reapplication is necessary. Lubekote 9526 is solvent-based. It is an advanced polymeric resin in a non-chlorinated organic solvent blend.

Rubber Mold Release Agent Lubekote 9526 is a solvent based anti-vibration mold release agent specifically designed to improve productivity and product quality. It provides a quick curing time and is compatible with most rubber materials, making it an ideal choice for a wide range of rubber molding applications. Its excellent chemical resistance makes it suitable for use in a variety of different environments. It can be stored in a cool, dry place for long durations of time without causing any damage to the product.

This rubber mold release agent has excellent anti-vibration properties, making it ideal for use in rubber molding operations that require precision and accuracy. It is also capable of providing a durable and long-lasting release, making it an excellent choice for rubber parts that require repetitive molds.

The rubber mold release agent is designed to be easy to use and cost-effective. It is also resistant to most chemicals and is compatible with most rubber materials, making it a reliable choice for a variety of rubber molding applications. Its quick curing time and excellent chemical resistance make it an ideal choice for a wide range of rubber molding operations.

Features:

Does not transfer to the product parts.

Does not contain oil, fat, stearic acid, wax and silicon compounds.

No knit lines.

Minimal build-up on mold

Suitable for all kinds of rubber and plastic compounds

Durable; provides multiple releases per application

Technical Parameters:

Parameters	Details
Package	20L, 200L
Advantages	Minimum Build Up
Chemical Resistance	Excellent
Curing Time	Fast
Storage Conditions	Store In A Cool, Dry Place
Feature	strong durability and good releasing
Compatibility	Compatible With Most Rubber Materials
Type	Water based Rubber Release Agent
Product Form	Liquid
Function	Release Agent for anti-vibration Rubber
Product Type	Water Based Rubber Release Agent

Applications:

The mold should be thoroughly cleaned. Mold cleaning and release agent application should be performed in a well ventilated area. Apply a thin coat at process temperature. It is recommended to apply at least two coats at the beginning. After a short drying time it is ready to make production. Reapply a light coat when necessary.

Lubekote 9526 is a high performance Rubber Release Agent that is designed specifically for releasing rubber molds. It features a high dilution ratio and is compatible with most rubber materials, making it an ideal choice for rubber molding applications.

Lubekote 9526 is a reliable release agent for anti-vibration rubber and other rubber materials, providing a superior release effect while preserving the longevity of the rubber parts. It is formulated to effectively reduce sticking and build up on rubber molds and tools, allowing for faster production cycles and smoother surface finishes.

Support and Services:

Rubber Mold Release Agent Technical Support and Service

We provide technical support and service for Rubber Mold Release Agent. Our technical support team is composed of highly experienced professionals who are ready to help you with whatever queries or questions you may have. We provide a range of services, including:

24/7 online technical support

On-site technical service and maintenance

Troubleshooting and problem solving

Product performance analysis

Product customization and optimization

Upgrades and new feature integration

We strive to provide the best customer service and technical support for our products so that you can get the most out of your Rubber Mold Release Agent. If you have any questions or need assistance, please don't hesitate to contact us.

Packing and Shipping:

Packaging and Shipping

Rubber Mold Release Agent is packaged in 20L and 200L drums. Larger quantities may be packaged upon request. All of our products are shipped in a secure container to ensure that it arrives in perfect condition.

We offer a variety of shipping options, including ground, air, and expedited shipping. We also offer international shipping and will work with you to ensure that your product arrives at its destination safely and securely.

**Warehousing and logistics**

It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.



**Technical support**

Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



Shanghai Lorechem Company Limited



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai