

Water Based Rubber Mold Release Agent , Rubber Hose Mold Release Chemicals

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: xxxx
- Minimum Order Quantity: None
- Price: 0-99usd
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



Product Specification

- Advantages: Minimum Build Up
- Compatibility: Compatible With Most Rubber Materials
- Product Form: Liquid
- Chemical Resistance: Excellent
- Type: Rubber Release Agent
- Package: 20L, 200L
- Storage Conditions: Store In A Cool, Dry Place
- Highlight: **Chemical Resistance Rubber Release Agents,
20L Rubber Hose Mold Release Chemicals,
200L Package Rubber Mold Release Agent**

Product Description

Product Description:

Introducing our high-performance Rubber Mold Release Agent, a premium-grade product specifically formulated for the rubber molding industry. This high dilution rubber release agent has been meticulously engineered to facilitate the demolding process, ensuring a smooth and seamless separation of the finished rubber product from its mold. Presented in a convenient liquid form, this rubber release agent is the ideal solution for manufacturers seeking a reliable and efficient demolding agent that maintains the integrity and quality of their products.

Our Rubber Mold Release Agent boasts exceptional chemical resistance, making it suitable for use with a wide range of rubber compounds and molding processes. The agent's chemical properties are designed to withstand aggressive substances, ensuring that the mold release agent remains stable and effective under various conditions without compromising the quality of the rubber product. This excellent chemical resistance also contributes to the longevity of both the mold and the release agent, leading to cost savings and increased productivity for rubber manufacturers.

Available in two convenient package sizes, 20L and 200L, our Rubber Mold Release Agent caters to businesses of all scales, from small workshops to large industrial operations. The packaging options provide flexibility in usage and storage, allowing for better inventory management and reduced waste. Whether you are conducting short runs or large-scale production, our product packaging ensures that you have the right amount of release agent at your disposal, optimizing your production process and minimizing downtime.

For optimal performance and shelf life, we recommend storing this high dilution rubber release agent in a cool, dry place. Proper storage conditions are paramount to preserving the efficacy of the release agent. By adhering to our guidelines, you can rest assured that the Rubber Mold Release Agent will maintain its performance characteristics over time, offering consistent release properties and reliable results with every use.

The versatility of this product lies in its high dilution capabilities. As a high dilution rubber release agent, it can be easily diluted to the desired concentration to meet the specific requirements of different rubber molding applications. This adaptability not only enhances the product's efficiency but also makes it an economical choice for manufacturers looking to optimize their usage and reduce costs without sacrificing quality. The dilution flexibility allows for a customized approach to the molding process, ensuring that the right balance is struck between release effectiveness and product conservation.

As a Type: Rubber Release Agent, this product is specially tailored to meet the demands of the rubber industry. Its formulation ensures that it does not interfere with post-molding treatments such as painting or bonding, thereby preserving the rubber's surface properties for further processing. The agent's non-staining nature ensures that the final products are free of blemishes, maintaining the aesthetic and functional standards required in the competitive market.

Overall, our Rubber Mold Release Agent represents an invaluable addition to any rubber manufacturing operation. Its excellent chemical resistance, convenient packaging options, and high dilution capabilities make it a standout choice for businesses seeking a cost-effective, reliable, and adaptable solution for their rubber molding processes. Trust our Rubber Mold Release Agent to deliver consistent, high-quality results and to keep your production running smoothly and efficiently.

Features:

Product Name: Rubber Mold Release Agent

Package: Available in 20L and 200L containers

Type: Rubber Release Agent

Compatibility: Compatible With Most Rubber Materials

Advantages: Ensures Minimum Build Up

Chemical Resistance: Offers Excellent Resistance

Formulation: Water Based Rubber Release Agent

Use Case: Ideal as a Release Agent for Rubber Parts

Efficiency: Highly Effective Water Based Rubber Release Agent

Technical Parameters:

Type	Rubber Release Agent
Compatibility	Compatible With Most Rubber Materials
Advantages	Minimum Build Up
Package	20L, 200L
Product Form	Liquid
Storage Conditions	Store In A Cool, Dry Place
Chemical Resistance	Excellent

Applications:

The Lubekote Rubber Mold Release Agent, with its model number xxxx, originates from China and is specifically designed to cater to a wide range of molding applications. As a liquid formulation, it provides a convenient and efficient means to facilitate the molding process of various rubber materials. Its remarkable chemical resistance makes it an excellent choice for industries where chemical exposure is a common occurrence, ensuring that the mold release properties remain intact even under harsh conditions.

One of the most significant advantages of using the Lubekote Rubber Mold Release Agent is its ability to minimize build-up. This feature is particularly important in maintaining the quality and longevity of molds, as it reduces the frequency of cleaning and maintenance required.

By inhibiting the accumulation of excess material on the mold surfaces, this high dilution rubber release agent helps in achieving a cleaner and more efficient production process.

Moreover, the compatibility of the Lubekote Rubber Mold Release Agent with most rubber materials is a testament to its versatility.

Whether in the automotive industry for creating anti-vibration components or in the manufacturing of consumer goods, this rubber mold release agent ensures seamless demolding of parts, which is crucial for maintaining the integrity and precision of the molded items. The anti-vibration mold release agent property is particularly beneficial when producing components that require high resilience and durability, such as seals, gaskets, and mounts.

When it comes to application occasions and scenarios, the Lubekote Rubber Mold Release Agent is an indispensable tool for any operation that involves the molding of rubber. Its use is particularly prevalent in the production of tires, where high dilution and effective release properties are essential to prevent sticking and facilitate the removal of the tire from the mold. Similarly, in the production of industrial hoses, grommets, and bushings, this rubber mold release agent ensures that the manufacturing process is smooth and uninterrupted, leading to higher productivity and better-quality products.

In conclusion, the Lubekote Rubber Mold Release Agent is a highly effective and reliable solution for a multitude of molding scenarios. Its excellent chemical resistance, minimal build-up, and broad compatibility with rubber materials make it an ideal choice for any business seeking to enhance its molding operations. Whether you are dealing with anti-vibration components or general rubber goods, this rubber release agent will undoubtedly contribute to a more efficient and cost-effective production process.

Support and Services:

The Rubber Mold Release Agent is designed to provide efficient and reliable release performance for rubber manufacturing processes. Our product ensures a smooth release of molded parts, minimizing defects and enhancing overall productivity. To maintain the efficacy of the Rubber Mold Release Agent and support our customers, we offer comprehensive technical support and services.

Our technical support includes:

Guidance on proper application techniques to maximize the performance of the release agent.

Troubleshooting assistance for any challenges encountered during the molding process.

Tips for storage and handling to preserve the quality and effectiveness of the product.

Recommendations for cleaning and maintaining the molds to prevent buildup and ensure consistent release.

In addition to technical support, we provide the following services:

Product training sessions for teams to ensure correct usage and safety.

Customized consultations to address specific needs and improve molding processes.

Access to material safety data sheets (MSDS) and technical data sheets (TDS) for in-depth product information.

Regular updates on product enhancements and new formulations to keep your operation up-to-date.


We are committed to delivering not only a superior product but also the support and services necessary to achieve the best results in your rubber molding operations.

Packing and Shipping:

Product Packaging: The Rubber Mold Release Agent is packaged in a high-quality, industrial-grade container ensuring a secure seal to maintain product integrity. The container is designed for easy use and storage, with clear labeling including product name, usage instructions, and safety information. Each container is carefully inspected before packaging to ensure it meets our strict quality standards.




Shipping: Our Rubber Mold Release Agent is shipped with utmost care to ensure it reaches our customers in perfect condition.

Containers are packed in sturdy boxes with appropriate cushioning materials to prevent any movement during transit. The shipment is labeled as a chemical product, with all necessary hazard and handling information prominently displayed. We ensure that all our shipments comply with local and international shipping regulations to provide a smooth and safe delivery to your location.



Warehousing and logistics

It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.





Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem 's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.

Shanghai Lorechem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive.



Shanghai Lorechem Company Limited



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai