

## EVA Water Based Mould Release Agent For Polyurethane Shoe Soles Boots

Our Product Introduction

for more products please visit us on [shlorechem.com](http://shlorechem.com)

### Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: xxxxx
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



### Product Specification

- Product Name: Water Based Mold Release Agent
- Classification: Chemical
- Name: Mold Release Agent For Boots
- Odor: Slight
- Application: PU Shoe Sole Demoulding
- Diluent: Water
- Feature: Eco Friendly
- Advantages: Perfect Surface/finish
- Highlight: **EVA water based mould release agent, shoe soles mould release agent, polyurethane boots mold release agents**

## Product Description

### Water Based Mold Release Agent For EVA Polyurethane Shoe Soles Boots

A water based release agent for PU boots.

For boots and shoes made from EVA, we have a new generation of EVA shoe sole mold release agent that will provide a very good, even and non-glossy appearance. It is now successfully used in Asia market.

For the EVA boots/shoes, the mold release agent currently using in the market mostly use silicone, so that the surface of shoes or boots is smooth, greasy or with spots. We have a new generation release agent which will provide a very good, even and non-glossy appearance. It is now widely used in Asia market. Below is a picture of their product:

#### Water Based Mold Release Agent for boots Advantages:

Easy to use  
Demolding without touching up for long hours  
Prevents build up on the molds  
Excellent performance of produced parts  
Excellent release properties

#### Water Based Mold Release Agent for boots Application:

Molds should be clean before using.  
Apply a thin coat of our release agent.  
Wait until the water is evaporated.  
Start production

#### Handling precautions:

For industrial use only.  
Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.  
Do not allow product to freeze.

Application	Suitable code	Dispersing medium	Advantages
Antivibration	Lubekote 9421A/9140	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.
Seals & Gaskets	Lubekote 9165C	Water based	Can be used as both semi-permanent and highly diluted. Applied as semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective;
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations
Belt	Lubekote 9836A	Water based	Environmentally friendly; Good releasing effect.
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.
Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;

Silicone & Fluorine rubber	Lubekote 9440A	Water based	Applied to release silicone and EPDM; Designed for molding operations when non-transfer of release agent, high temperature stability, high degree of slip, and abrasion resistance of the release film are important.
CPU	Lubekote 9120A	Water based	Environmentally friendly; Easy to apply; Prolongs the mold cleaning cycle.
Flexible foam	Lubekote 9820A	Water based	Environmentally friendly; Low VOC; Delicate skin, highly diluted; Less contaminating mold.
ISF	Lubekote 9810G	Water based	5~10 times dilution; Cost-effective; Less contaminating mold; strong demolding; Universal for all ISF.
Encapsulation	Lubekote 9808E	Water based	Matt finish; Excellent performance of produced parts; Less contaminating mold; strong demolding; Universal for all encapsulation.





Shanghai Lorechem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive.



**Shanghai Lorechem Company Limited**



[export@lorechem.com](mailto:export@lorechem.com)



[shlorechem.com](http://shlorechem.com)

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai