Efficient Water Based Shoe Sole Release Agent High Dilution Bright Finish

Basic Information

- Place of Origin:
- Brand Name: Lubekote

China

9120M

None

T/T

- Model Number:
- Minimum Order
 Quantity:
- Price: 0-9 USD
- Packaging Details: 25L, 200L
- Payment Terms:
- Supply Ability: 10 tons/month



Product Specification

| Shelf Life: | 1 Years |
|-----------------|--|
| • Flammability: | Non-flammable |
| Stability: | Stable |
| Solubility: | Soluble In Water |
| Viscosity: | Low |
| Product Name: | Water Based Mold Release Agent |
| Highlight: | Water Based Release Agent High Dilution, |
| | Water Based Shoe Sole Release Agent, |
| | Bright Finish Shoe Sole Release Agent |

Our Product Introduction

Product Description:

Our Water Based Mold Release Agent is a non-flammable product with mild odor and white liquid appearance. It is widely applied in various types of shoe sole release agent, CPU wheel mold release agent, rubber shoe sole release agent and rubber wheel mold release agent. It can significantly reduce the adhesion between the mold surface and the molded product, resulting in better mold release and no residue, making product surface smoother and easier to clean.

The Water Based Mold Release Agent also contains special additives which can form a protective film on the surface of the mold to prevent rust. It can also lubricate the surface of the mold and reduce friction, effectively extending the life of the mold. Moreover, it is also a low-toxic, non-irritating product with low VOC, making it a great choice for a variety of mold release applications.

As a professional manufacturer of shoe sole release agent, CPU wheel mold release agent, rubber shoe sole release agent and rubber wheel mold release agent, we always strive to provide our customers with the best products and services. Our Water Based Mold Release Agent is a product that we are proud of, and if you are looking for a reliable and effective mold release agent, this is a great choice.



Features:

Product Name: Water Based Mold Release Agent for Shoe Sole Stability: **Stable** Viscosity: **Low** Storage Temperature: 10-30°C Solubility: **Soluble In Water** Suitable for: **EVA shoe sole release agent** Type: **Water based release agent**

Technical Parameters:

| Property | Value |
|---------------------|---|
| Product Name | Water Based Mold Release Agent |
| Application | Rubber Shoe Sole Release Agent, Water Based Release Agent, Oil Ring Release Agent |
| Storage Temperature | 10-30°C |
| Appearance | White Liquid |
| Stability | Stable |
| Shelf Life | 1 Years |
| Freezing Point | <0°C |
| Viscosity | Low |
| Toxicity | Non-toxic |

| Flammability | Non-flammable |
|-----------------|---------------|
| Flash Point | >200°C |
| Explosive Limit | Non-explosive |

Applications:

Lubekote 9120M is a water based mold release agent with excellent performance. It is widely used in the industry of PU shoe sole release. The product has mild odor and good solubility in water. It has a shelf life of 1 year and is manufactured in China. The product is eco-friendly and safe to use. It reduces the use of oils, solvents, and other volatile materials, and helps reduce the production cost. In addition, it is non-toxic, non-flammable, and non-hazardous, making it an ideal choice for many industrial production processes.

Support and Services:

Technical Support and Service for Water Based Mold Release Agent

We provide technical support and service for our Water Based Mold Release Agent. Our customer service team is available to answer any questions that may arise and provide solutions to any issues that may occur. We strive to ensure your experience with our product is satisfactory and provide the necessary technical support to ensure this.

Our team of experienced technicians are available to provide advice on application, troubleshooting, and problem-solving to ensure that your Water Based Mold Release Agent provides maximum performance. We provide technical support for installation, setup, and operation of our product. We also provide ongoing maintenance and updates to ensure your product is running at its best. We are committed to providing the highest quality of technical support and service to all of our customers. Our team is available to assist you in any way we can and provide solutions to ensure your satisfaction. We strive to provide the best customer service and technical support for all of our products.

Packing and Shipping:

Water Based Mold Release Agent Packaging and Shipping:

The product is packaged in plastic drums of 20L or 200L. The product should be shipped in a temperature controlled environment and with proper labeling and safety information.

The product should be shipped with caution, as it is a hazardous material. It should only be shipped via professional shipping companies, such as UPS or FedEx, and should not be transported in a passenger vehicle or an unsecured container.

