

China LubeKote

T/T

20T/month

Water Based Mold Release Agent For Polyurethane Shoe Soles Bright Surface

Basic Information

- Place of Origin:
- Brand Name:
- 9120M-2 Model Number: • Minimum Order Quantity: None
- Price:
- negotiation 20L, 200L • Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

- Appearance:
- Solubility:
- Application:
- Shelf Life:
- Type:
- Surface:
- Highlight:

White Liquid

Water-based

10-15 working days

- PU Shoe Sole, PU Slippers, PU Sandal, And Other Footwear Factories, Etc.
 - 12 Months
- Concentrate
- Bright Finish
- Bright Surface Mold Release Agent, Polyurethane Mold Release Agent, Water Based Mold Release Agent

Our Product Introduction

Water Based Mold Release Agent For Polyurethane Shoe Soles Bright Surface

Product Description:

Lubekote 9120M-2 is a lubricant and release system specially formulated for polyurethane. It can be well used in shoe sole industries. Factories can benefit from its high dilution ratio. It is water based with no VOC. Therefore, it is environmentally friendly, healthier and easier to transport and store.

Properties:

Appearance	White liquid
Shelf life	12 months
Density	0,97-1,03 g/cm ³

MSDS Lubekote 9120M-2 EN A.pdf TDS Lubekote 9120M-2 EN.pdf

Advantages:

- 1. Water based, no VOC
- 2. Easy to apply
- 3. Concentrated
- 4. Glossy finish.
- 5. Thin layers give best results and cost-effective

Application:

The mold should be thoroughly cleaned. The release agent should be well stirred before use. For shoe sole application it can be diluted by adding 30-50 parts of water. It is best to use deionized water. Apply a thin coat of Lubekote 9120M-2. After the water has evaporated start the production.

Handling precautions:

For industrial use only. Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water. Do not allow product to freeze.





