

China

T/T

20T/week

Chemical

Lubekote

Slight

China

Lubekote

Liquid PU Mold Release Agent Solvent Based for Anti Wood Furniture

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: xxxxx
 Minimum Order Quantity: None
- Minimum Order Quantity:Price:
- Price: 1-99 usdPackaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms:
- Supply Ability:

LubeKote 9701

Product Specification

- Classification:
- Name:
- Brand Name:
- Odor:
- Place Of Origin:
- Diluter:
- Highlight:
- Solvent liquid mold release agent for PU, Lubekote 9701 pu release agent, solvent based pu mold release agent

Liquid Mold Release Agent

Our Product Introduction

Product Description

Solvent Liquid Anti-wood Furniture Release Agent Lubekote 9701

Introduction:

Lubekote 9701 is formulated as a solvent-based dispersion of waxes and lubricating agents Most commonly used in polyurethane, especially for cast foam.

Properties:

Colour: Off white liquid Shelf life: 24 months

Advantages:

Easy to use Good releasing

Multiple demolding per application (depending on the product)

Application:

Before application the mould surface must be clean and free of any release agent. Ensure that the mould is dry and all solvents have flashed off before injection. Stir before use Dilute 9701 in white spirit or heptane before use. 9701 can be applied to mould surfaces preferably by spraying. Only a thin dry film is required. For the initial application 2 - 3 coats are recommended. Optimal performance at demoulding temperature 30-60°C.

Handling precautions:

For industrial use only.

Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.

More release agent for PU industry:

Application	Suitable code	Dispersing medium	Advantages
CPU	Lubekote 9120	Water based	Environmentally friendly; Easy to apply; Prolongs the mold cleaning cycle.
CPU	Lubekote 9020	Solvent based	Highly diluted; Multiple releases; Gloss finish.
Rigid foam	Lubekote 9701	Solvent based	Dry surface; Good performance on post process; Dilutable.
Rigid foam	Lubekote 925L	Solvent based	Excellent and multiple releases; Highly diluted.
Flexible foam	Lubekote 9820A	Water based	Environmentally friendly; Low VOC; Delicate skin, highly diluted; Less contaminating mold.
ISF	Lubekote 9810G	Water based	5~10 times dilution; Cost-effective; Less contaminating mold; strong demolding; Universal for all ISF.
Encapsulati on	Lubekote 9808E	Water based	Matt finish; Excellent performance of produced parts; Less contaminating mold; strong demolding; Universal for all encapsulation.







