High Temperature Resistance Rubber Adhesive Fast Furing Primer Bonding Agent

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: 11HS
- Minimum Order Quantity:
- Price: 0-99usd
- Packaging Details: 20L/200L
- Delivery Time: 15-20 working days

China Thinkbond

None

- Payment Terms: T/T
- Supply Ability: 20T/month



Product Specification

	High Temperature Resistance Rubber Adhesive Liquid Form Rubber Bonding Agent
Highlight:	Gray Fast Furing Rubber Adhesive,
Shelf Life:	12 Months
Application:	Rubber Bonding
Classification:	Chemical
• Odor:	Gray
Curing Time:	Fast
• Type:	Adhesive

Our Product Introduction

High Performance Primer Bonding Agent Rubber Adhesive

Product Description:

Our Rubber Bonding Agent is a fast-curing adhesive that is capable of bonding rubber to metal. It is perfect for high-temperature applications and has been designed to withstand extreme temperatures without losing its bond strength. This makes it a popular choice for hot vulcanized adhesive applications.

The Rubber Bonding Agent is a type of adhesive that is specifically formulated for bonding rubber. It is easy to apply and dries quickly, making it an ideal adhesive for time-sensitive projects. This adhesive has been tested and proven to have a strong bond strength, which ensures that the bonded materials stay in place for extended periods.

Overall, our Rubber Bonding Agent is a high-quality adhesive that is perfect for bonding rubber to metal. It has a strong bond strength, fast curing time, and excellent chemical resistance, making it an ideal adhesive for industrial and commercial use. Whether you need an adhesive for high-temperature applications or hot vulcanized adhesive applications, our Rubber Bonding Agent is the perfect solution for all your rubber bonding needs.

Features:

Product Name: Rubber Bonding Agent Odor: Solvent Color: Gray Classification: Chemical

Technical Parameters:

Attribute	Value
Odor	Solvent
Color	Gray
Shelf Life	12 Months
Application	Adhesive for rubber, Hot vulcanized adhesive, Rubber to metal bonding
Bond Strength	Strong
Temperature Resistance	High
Туре	Adhesive
Classification	Chemical
Form	Liquid

Applications:

The Thinkbond rubber bonding agent is specially designed for rubber to metal bonding applications. It is a chemical that provides a strong bond between rubber and metal surfaces. This chemical has excellent chemical resistance and can withstand high temperatures, making it ideal for use in various industries.

The Thinkbond rubber bonding agent is commonly used in automotive, construction, and industrial applications. It is perfect for bonding rubber seals to metal surfaces. The chemical provides a strong and durable bond that can withstand high temperatures and harsh environmental conditions.

Support and Services:

Our Rubber Bonding Agent product is designed to provide excellent bonding performance for rubber materials. It can be used for bonding rubber to metal. We also offer customized services to meet specific needs of our customers. Our goal is to ensure that our customers achieve optimal bonding results with our Rubber Bonding Agent product.



C export@lorechem.com

Shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai