

## Clear Water Based Pultrusion Crc Internal Mold Release Agents Voc Free 0.9g/cm<sup>3</sup>

Our Product Introduction

for more products please visit us on [shlorechem.com](http://shlorechem.com)

### Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: LubeKote
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



### Product Specification

- Appearance: Clear Liquid
- Density: Approx. 0.9 G/cm<sup>3</sup>
- Shelf Life: 12 Months
- Advantage: VOC Free, Water Based
- Type: Internal Release Agent
- Application: Pultrusion Process
- Highlight: **Voc Free Internal Mold Release Agent ,  
CRC Internal Mold Release Agent ,  
0.9g/Cm3 Internal Mold Release Agents**

## Product Description

### Clear Water Based Pultrusion CRC Internal Mold Release Agents

**Product description:**

This internal release agent is highly effective and possesses lubricant properties, specifically formulated for use with Epoxy Resin. Notably, it is silicone-free, offering distinct advantages. Its chemical consistency enables seamless post-treatment options, including painting or foaming directly on the released surface without the need for additional steps like sanding. This ensures convenience and efficiency while maintaining excellent surface quality for your epoxy-based creations.

**Properties:**

Appearance	Clear liquid
Shelf life	12 months
Density	Approx. 0.9 g/cm <sup>3</sup>

**Application:**

This product comes in a convenient ready-to-use formulation, allowing for direct addition to Polyester resin. To ensure optimal outcomes, it is crucial to carefully mix the components. The precise dosage of the product depends on the specific processing conditions and should be determined by the customer. Typically, the recommended dosage falls within the range of 0.5% to 1.5%. Its effectiveness is particularly notable in the pultrusion process, making it an ideal choice for such applications.

**Handling precautions**

For industrial use only. The usual care by handling chemicals must be noticed. Keep container tightly sealed and store at room temperature. Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.







## Warehousing and logistics



It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.












## Technical support



Making adjustment in the field




Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field





Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry. Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



**Shanghai Lorechem Company Limited**



[export@lorechem.com](mailto:export@lorechem.com)



[shlorechem.com](http://shlorechem.com)

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai