

Efficiency Meets Water Based Mold Release Agent For Maintaining Superior Surface

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: LubeKote xxxx
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



Product Specification

- Shelf Life: 12 Months
- Industry: Composite Industry
- Dosage: 1% To 3%
- Compatibility: Epoxy Resin
- Product Category: Internal Mold Release Agent
- Highlight: **Water Based Mold Release Agent, Superior Surface Mold Release Agent**

for more products please visit us on shlorechem.com

Product Description

Efficiency Meets Water Based Mold Release Agent for Maintaining Superior Surface

Product Description:

One of the distinct advantages of the Internal Mold Release Agent is that it is silicone-free. This attribute ensures that the product does not leave any silicone residue on the final product. This feature is crucial for industries that require a pristine surface finish on their products.

The Internal Mold Release Agent is highly efficient in its application. It helps in maintaining excellent surface quality, ensuring that the final product is of high quality and meets industry standards. This feature is essential for industries that require premium quality products.

The Internal Mold Release Agent is specifically designed for the pultrusion process, making it a highly specialized product. It is designed to work seamlessly with the pultrusion process, ensuring that the process runs smoothly and efficiently.

The recommended dosage for the Internal Mold Release Agent is between 1% to 3%. This dosage range ensures that the product is highly effective and that it does not interfere with the pultrusion process. It is essential to follow the recommended dosage to ensure that the product works as intended.

In conclusion, the Internal Mold Release Agent is a highly efficient mold release agent that is specifically designed for the rubber, polyurethane, and composite industry. Its silicone-free attribute ensures that it does not leave any silicone residue on the final product, making it a highly sought-after product. Its efficiency in maintaining excellent surface quality is crucial for industries that require premium quality products. Its application in the pultrusion process makes it a highly specialized product, and the recommended dosage ensures that the product works as intended.

Features:

Product Name: Internal Mold Release Agent
Efficiency: Maintaining excellent surface quality
Handling Precautions: For industrial use only
Compatibility: Epoxy Resin
Silicone-free: Distinct advantages
Application: Pultrusion Process
Type: Water based mold release
Category: Mold release products

Technical Parameters:

Product Name	Water Based Internal Mold Release Agents
Advantage	VOC Free, Water Based
Handling	For industrial use only
Precautions	
Appearance	liquid

Applications:

The LubeKote Internal Mold Release Agent is perfect for scenarios where the molds need to be separated from the molded product with ease. The product is ideal for use in the automotive industry, especially in the production of plastic parts. It is also useful in the production of rubber products, such as gaskets, seals, and hoses. Additionally, the product is perfect for the production of composite materials where the molds need to be separated from the finished product.

The LubeKote Internal Mold Release Agent is designed to be used as an inner mold unsticking spray, providing a protective barrier between the mold and the molded product. The product is easy to use and offers an excellent coverage area, with a dosage of only 1% to 3% required. This means that the product is highly cost-effective, making it an excellent choice for large-scale manufacturing facilities.

Support and Services:

Our Internal Mold Release Agent is designed to be a high-performance, water-soluble mold release agent that is perfect for use in a variety of molding processes. Our technical support team is available to provide expert advice on how to best use our product to meet your specific needs. We also offer a range of services, including product testing, formulation development, and custom blending, to ensure that you get the results you need. Contact us today to learn more about our product and how we can help you achieve your goals.

Packing:

Product Packaging: 20L, 200L

FAQ:

Q: What is the brand name of the internal mold release agent?

A: The brand name of the internal mold release agent is LubeKote.

Q: What is the model number of the internal mold release agent?

A: The model number of the internal mold release agent is LubeKote.

Q: Where is the internal mold release agent produced?

A: The internal mold release agent is produced in China.

Q: What is the minimum order quantity of the internal mold release agent?

A: There is no minimum order quantity for the internal mold release agent.

Q: What is the packaging of the internal mold release agent?

A: The internal mold release agent is available in 20L and 200L packaging.

Q: What is the supply ability of the internal mold release agent?

A: The supply ability of the internal mold release agent is 20T/month.

Q: What are the payment terms for purchasing the internal mold release agent?

A: The payment terms for purchasing the internal mold release agent are T/T.

Q: What is the delivery time for the internal mold release agent?

A: The delivery time for the internal mold release agent is 10-15 working days.

Q: What is the price of the internal mold release agent?

A: The price of the internal mold release agent is negotiable.





Shanghai Lorechem Company Limited



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai