Thermoset Resins Composite Release Agent , Industrial Internal Mold Release Agent

Basic Information

- Place of Origin:
- Brand Name: Lubekote

China

None

LubeKote xxx

20T/month

- Model Number:
- Minimum Order
 Quantity:
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability:



Product Specification

	Thermoset Resins Internal Mold Release Agent , Thermoset Resins Internal Release Agent
Highlight:	Composite Release Agent 0.9g/cm3 Density,
Handling Precautions:	For Industrial Use Only
Advantage:	VOC Free, Water Based
Silicone-free:	Distinct Advantages
Appearance:	Clear Liquid
Industry:	Composite
• Dosage:	1%-3%

Our Product Introduction

Internal Mold Release Agent For Pultrusion Process Of Thermoset Resins

Product Description:

This internal release agent is highly effective and possesses lubricant properties, specifically formulated for use with thermoset resins. It is particularly well-suited for epoxy resins and offers the advantage of preserving the original color of the produced parts. Additionally, it ensures that the technical properties of the parts remain unaffected, maintaining their desired characteristics without any negative influence.

Features:

Product Name: Clear Water Based Internal Mold Release Agents

Density: Approx. 0.9 g/cm³

Type: Internal Release Agent

This liquid mold release agent is perfect for pultrusion and has a density of approximately 0.9 g/cm³. It is an internal release agent that is silicone-free, providing distinct advantages. The chemical consistency of this mold release agent allows for seamless post-treatment options.

Technical Parameters:

Advantage:	VOC Free, Water Based
Shelf Life:	12 months
Compatibility:	Epoxy Resin
Efficiency:	Maintaining excellent surface quality
Product Category:	Internal Mold Release Agent

Applications:

When it comes to application and dosage, this product provides a convenient ready-to-use formulation that can be directly added to the resin. To achieve optimal results, it is crucial to ensure thorough mixing. The precise dosage required depends on the specific processing conditions and should be evaluated by the customer. As a general guideline, the recommended dosage typically ranges between 1.0 and 3.0 weight percent based on the resin solids.

Packing:

Product Packaging: 20L, 200L

FAQ:

- Q: What is the brand name of the internal mold release agent?
- A: The brand name of the internal mold release agent is Lubekote.
- Q: What is the model number of the internal mold release agent?
- A: The model number of the internal mold release agent is LubeKote.
- Q: Where is the internal mold release agent manufactured?
- A: The internal mold release agent is manufactured in China.
- Q: What is the minimum order quantity for the internal mold release agent?
- A: There is no minimum order quantity for the internal mold release agent.
- Q: What is the packaging of the internal mold release agent?
- A: The internal mold release agent is available in 20L and 200L packaging.
- Q: What are the payment terms for the internal mold release agent?
- A: The payment terms for the internal mold release agent are T/T.
- Q: What is the supply ability of the internal mold release agent?
- A: The supply ability of the internal mold release agent is 20T/month.
- Q: What is the delivery time for the internal mold release agent?
- A: The delivery time for the internal mold release agent is 10-15 working days. Q: What is the price of the internal mold release agent?
- A: The price of the internal mold release agent is negotiable.

for more products please visit us on shlorechem.com





Second Se

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai