

## Water Based Pultrusion CRC Internal Mold Release Agents Clear Liquid 0.81g/Cm3

Our Product Introduction

for more products please visit us on [shlorechem.com](http://shlorechem.com)

### Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: LubeKote
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



### Product Specification

- Appearance: Clear Liquid
- Density: 0,81 G/cm<sup>3</sup>
- Dosage: 2.0 % - 5.0 %
- Advantage: VOC Free, Water Based
- Type: Internal Release Agent
- Shelf Life: 1 Year
- Highlight: **0.81G/Cm3 Density Internal Release Agents, PU systems Internal Release Agents, Clear Liquid Polyurethane Internal Release Agents**

## Product Description

### Clear Water Based Pultrusion CRC Internal Mold Release Agents

**Product description:**

This product serves as an internal release agent specifically designed for PU-systems. It comes in a ready-to-use form and should be added directly to the Polyol or Isocyanate components. One of its remarkable features is its ability to produce excellent matte surfaces on the manufactured parts. As a result, these parts can be painted directly without the need for degreasing. Furthermore, it effectively minimizes the build-up on moulds, ensuring smoother and more efficient production processes

**Properties:**

Status	Liquid
Color	Clear
Density	0.81 g/cm <sup>3</sup>
Dosage	2%-5%
Shelf life	12 months

**Advantages:**

- User-friendly application
- Environmentally friendly formulation
- Effectively prevents build-up on moulds
- Creates a non-greasy, non-contaminating coating
- Ensures outstanding performance of the produced parts
- Provides excellent release properties
- Accelerates production processes

**Application:**

Begin by meticulously cleaning the mould.  
Apply a thin layer of a mould sealer to prepare the surface.  
Incorporate our internal release agent, Lubekote 9551, into the Polyol component. Ensure continuous stirring of the mixture.  
Proceed to initiate the production process.

**Handling precautions**

For industrial use only. The usual care by handling chemicals must be noticed. Keep container tightly sealed and store at room temperature. Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.







## Warehousing and logistics



It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.












## Technical support



Making adjustment in the field




Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field





Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of LubeKote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry. Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



**Shanghai Lorechem Company Limited**



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai