



Based

Basic Information

. Place of Origin: China . Brand Name: Lubekote Model Number: XXXXX Minimum Order Quantity: None • Price: 1-99 usd 25L, 200L Packaging Details:

. Delivery Time: 10-15 working days

• Payment Terms: T/T

• Supply Ability: 20T/month



Product Specification

 Classification: Chemical

Name: Semi-permanent Release Agent For Rubber

. Brand Name: Lubekote Liquid • Appearance: Slight · Odor: • Place Of Origin: China

· Application: NR, CSM, EPDM, FR, NBR

Color: Colorless Liquid

• Highlight: Rubber Solvent Based Mold Release Agents,

NBR Semi Permanent Mold Release Agent, Colorless Liquid Rubber Mold Release Agent

Product Description

Semi-Permanent Mold Release Agent for Rubber Lubekote 9526H

Lubekote 9526H is a release system designed for rubber and plastic materials. It is especially suitable for rubber such as NR, CSM, EPDM, FR, NBR, etc.

Lubekote 9526H is solvent-based. It is an advanced polymeric resin in a non-chlorinated organic solvent blend.

Properties:

Appearance: Colorless liquid Shelf life: 24 months

Advantages:

Does not transfer to the product parts.

Does not contain oil, fat, stearic acid, wax and silicon compounds.

No knit lines.

Minimal build-up on mold

Suitable for all kinds of rubber and plastic compounds

Durable; provides multiple releases per application.

Application:

The mold should be thoroughly cleaned. Mold cleaning and release agent application should be performed in a well ventilated area. Apply a thin coat at process temperature. It is recommended to apply at least two coats at the beginning. After a short drying time it is ready to make production.

Reapply a light coat when necessary.

Handling precautions:

For industrial use only.

Prolonged skin contact with high concentrate dilutions should be avoided. Accidental splashes in the eye should be washed out with copious amounts of water.

More Semi-permanent release agent:

Application	Suitable code	Dispersing medium	Advantages
Seals & Gaskets	Lubekote 9165C	Water based	Can be used as both semi-permanent and highly diluted. Applied as semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective;
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.
Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;







Technical support



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem 's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.

| Company Com



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai