

## Environmental Friendly Rubber Mold Release Agent for Rubber Seals

Our Product Introduction

for more products please visit us on [shlorechem.com](http://shlorechem.com)

### Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: 9165C/9330C
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



### Product Specification

- Feature: Environmental Friendly
- Instructions: External Release Agent
- Color: Clear/white
- Application: Rubber Seal Parts
- Compatibility: Works With Most Rubber Materials
- Safety Precautions: Wear Protective Gloves And Eyewear
- Status: Liquid
- Shelf Life: 1 Year
- Highlight: **Water Molded Rubber Release Agent,  
Molded Rubber Release Agent,  
Liquid Molded Rubber Release Agent**



## Product Description

### Rubber Mold Release Agent

#### Product Attributes

Attribute	Value
Feature	Environmental Friendly
Instructions	External Release Agent
Color	Clear/white
Application	Rubber Seal Parts
Compatibility	Works With Most Rubber Materials
Safety Precautions	Wear Protective Gloves And Eyewear
Status	Liquid
Shelf Life	1 Year

#### Product Description

Lubekote rubber release agent prevents rubber products from sticking to mold surfaces, ensuring smooth demolding without tearing. This water-based formulation offers exceptional longevity, prolonged release efficacy, and no transfer characteristics for all rubber and elastomeric compounds.





### Key Features

- Product Name: Rubber Mold Release Agent
- Instructions: External Release Agent
- Solubility: Insoluble In Water
- Application: Rubber Molded Parts
- Status: Liquid
- Safety Precautions: Wear Protective Gloves And Eyewear
- Cost-effective solution
- Strong release power
- Easy to use formulation

### Application Instructions

1. Clean the mold meticulously before application.
2. Stir the release agent thoroughly before use.
3. For smoother release, dilute with 1-3 parts water (preferably deionized).
4. Apply a fine, even layer of LubeKote release agent.
5. Begin production after water evaporation.

Technical Support & Services

Our technical team provides guidance on optimal application techniques for your specific mold and rubber combination. We offer laboratory testing, product customization, and on-site support to ensure maximum performance.

Related Products for Rubber Industry

Application	Product Code	Dispersing Medium	Advantages
Antivibration	Lubekote 9421A/9140	Water based	Environmentally friendly; Excellent durability and release; Cost-effective; Prolongs mold cleaning
Antivibration	Lubekote 9526	Solvent based	Strong durability; Excellent surface gloss; Economical dosage; Multiple application methods
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack for rollers and drums
Tire	Lubekote 9919	Water based	Semi-permanent system; Easy application; Multiple releases; Universal for all tires
Silicone & Fluorine rubber	Lubekote 9165C	Water based	For hard-to-release rubber; Strong durability; Excellent surface finish

Shanghai Lorechem Co., Ltd. (established 2008) is a high-tech enterprise specializing in release products including semi-permanent release agents, anti-sticking solutions, surface lubricants, and thermal reactive adhesives.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai