

Shoe Sole Manufacturing Release Agent For Shoe Mold Glossy Surface

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Certification: ISO 9001
- Model Number: xxxx
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



Product Specification

- Usage: Release Agent
- Application: Shoe Manufacturing
- Advantages: Perfect Surface/finish
- Surface: Glossy Finish
- Shelf Life: 1 Year
- Highlight: **Shoe Sole Manufacturing Release Agent,
Shoe Mold Glossy Surface Release Agent,
Glossy Surface Shoe Sole Release Agent**

Shoe Sole Manufacturing Release Agent for Shoe Mold Glossy Surface

Product Description:

It is a lubricant and release system designed for rubber industry. It is suitable for different kinds of rubber shoe sole.

Help you to save cost and provide a perfect surface.

Features:

Product Name: Shoe Sole Release Agent

Usage: Footwear Release Agent / Rubber Shoe Sole Mould Release

Odor: Mild

Advantages: Perfect Surface/Finish

Applications:

The mold should be thoroughly cleaned.

The release agent should be well stirred before use.

For shoe sole application it can be diluted by solvent.

Apply a thin coat of Lubekote release agent. After the solvent has evaporated start the production.

Packing and Shipping:

Product Packaging:

20L, 200L

Shipping:

The Shoe Sole Release Agent is shipped via air shipment and sea shipment.

More release agent for Rubber Industry:

Application	Suitable code	Dispersing medium	Advantages
Antivibration	Lubekote 9421A/ 9140	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.
Antivibration	Lubekote 9526	Solvent based	It has strong durability and good releasing effect; Excellent performance of surface gloss; Economical dosage; Prolongs the mold cleaning cycle. Excellent performance of surface gloss; Cost-effective; Good performance on post process; Prolongs the mold cleaning cycle applied as both semi-permanent and highly diluted.
Antivibration	Lubekote 9425	Solvent based	It has strong durability and good releasing effect; Less build-up on molds; Cost-effective; Good performance on post process.
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations
Hose	Lubekote 9808	Solvent based	Non greasy, non contaminating coating; Good releasing effect; Excellent performance of produced parts.
Belt	Lubekote 9836A	Water based	Environmentally friendly; Good releasing effect.
Belt	Lubekote 9328	Solvent based	Fast drying; Good releasing effect; Cost-effective.

Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.
Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;



Shanghai Lorechem Company Limited



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai