

Rubber Mold Release Agent For Footwear High Glossy Surface Manufacture

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Certification: ISO 9001
- Model Number: xxxx
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



Product Specification

- Shelf Life: 1 Year
- Usage: Release Agent
- Classification: Chemical
- Appearance: White Liquid
- Advantages: Perfect Surface/finish
- Surface: Glossy Finish
- Odor: Mild
- Highlight: **Footwear Rubber Mold Release Agent,
High Glossy Rubber Mold Release Agent,
Shoe Sole Release Agent**

Product Description

Rubber Mold Release Agent for Footwear High Glossy Surface Manufacture

Product Description:

The Lubekote shoe sole release agent is perfect for shoe manufacturers looking to achieve a perfect surface/finish on their shoe soles. It is designed to be used as a release agent, which means it helps to remove the shoe soles from the mold without causing any damage or defects.

The Lubekote shoe sole release agent is designed for use in various shoe manufacturing occasions and scenarios. It is perfect for both new and experienced shoe manufacturers who want to achieve a perfect surface/finish on their shoe soles.

Features:

Product Name: Shoe Sole Release Agent

Advantages: Perfect surface/finish

Shelf Life: 1 Year

Classification: Chemical

Used for Shoe Sole Mold Release Agents

Provides High Gloss Finish

Applications:

The mold should be thoroughly cleaned.

The release agent should be well stirred before use.

For shoe sole application it can be diluted by adding solvent.

water. Apply a thin coat of Lubekote release agent. After the water has evaporated start the production.

Packing and Shipping:

Product Packaging:

20L, 200L

Shipping:

The Shoe Sole Release Agent product will be shipped via air shipment and sea shipment.



More release agent for Rubber Industry:

Application	Suitable code	Dispersing medium	Advantages
-------------	---------------	-------------------	------------

Antivibration	Lubekote 9421A/ 9140	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.
Antivibration	Lubekote 9526	Solvent based	It has strong durability and good releasing effect; Excellent performance of surface gloss; Economical dosage; Prolongs the mold cleaning cycle. Excellent performance of surface gloss; Cost-effective; Good performance on post process; Prolongs the mold cleaning cycle applied as both semi-permanent and highly diluted.
Antivibration	Lubekote 9425	Solvent based	It has strong durability and good releasing effect; Less build-up on molds; Cost-effective; Good performance on post process.
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations
Hose	Lubekote 9808	Solvent based	Non greasy, non contaminating coating; Good releasing effect; Excellent performance of produced parts.
Belt	Lubekote 9836A	Water based	Environmentally friendly; Good releasing effect.
Belt	Lubekote 9328	Solvent based	Fast drying; Good releasing effect; Cost-effective.
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.
Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai