

Solvent Based Rubber Shoe Sole Mold Release Agent Shoe Manufacturing

Our Product Introduction

for more products please visit us on shlorechem.com

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Certification: ISO 9001
- Model Number: xxxx
- Minimum Order Quantity: None
- Price: negotiation
- Packaging Details: 20L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



Product Specification

- Usage: Release Agent
- Odor: Mild
- Advantages: Perfect Surface/finish
- Appearance: White Liquid
- Surface: Glossy Finish
- Classification: Chemical
- Shelf Life: 1 Year
- Highlight: **Shoe Sole Mold Release Agent ,
Rubber Shoe Sole Mold Release Agent ,
Solvent Based Shoe Sole Release Agent**

Solvent Based Rubber Shoe Sole Mold Release Agent Shoe Manufacturing

Product Description:

Our Shoe Sole Release Agent is an essential tool for any shoe manufacturer. The product works by forming a barrier between the shoe sole and the mold, allowing the sole to be easily removed from the mold without damaging the shoe. Our product is formulated to provide high gloss and excellent performance, ensuring that your shoes look their best.

Our company offers both water based and solvent based formulas for shoe sole manufacturing.

Count on our proficient Technical Representatives and skilled Formulation Chemists to assist you in choosing, evaluating, and integrating the perfect release agent to achieve your objectives effectively.

Features:

Product Name: Shoe Sole Release Agent

Odor: Mild

Application: Shoe Manufacturing

Classification: Chemical

Shelf Life: 1 Year

This footwear release agent is designed specifically for Shoe Sole Manufacturing.

Excellent release properties

Limited transfer and in-mold buildup

Improved production line efficiency

Applications:

The mold should be thoroughly cleaned.

Mold cleaning and release agent application should be performed in a well ventilated area.

Apply a thin coat at process temperature. It is recommended to apply at least two coats at the beginning.

After a short drying time it is ready to make production.

Reapply a light coat when necessary.

Packing and Shipping:

The shoe sole release agent is packaged in a 20L or 200L drum.

Shipping:

The shipping of this product is done via standard ground shipping.

More release agent for Rubber Industry:

Application	Suitable code	Dispersing medium	Advantages
Antivibration	Lubekote 9421A/ 9140	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.
Antivibration	Lubekote 9526	Solvent based	It has strong durability and good releasing effect; Excellent performance of surface gloss; Economical dosage; Prolongs the mold cleaning cycle. Excellent performance of surface gloss; Cost-effective; Good performance on post process; Prolongs the mold cleaning cycle applied as both semi-permanent and highly diluted.
Antivibration	Lubekote 9425	Solvent based	It has strong durability and good releasing effect; Less build-up on molds; Cost-effective; Good performance on post process.
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations
Hose	Lubekote 9808	Solvent based	Non greasy, non contaminating coating; Good releasing effect; Excellent performance of produced parts.

Belt	Lubekote 9836A	Water based	Environmentally friendly; Good releasing effect.
Belt	Lubekote 9328	Solvent based	Fast drying; Good releasing effect; Cost-effective.
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.
Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai