

## Release Agent for Unsaturated Resin Bathroom Washbasin

Our Product Introduction

for more products please visit us on [shlorechem.com](http://shlorechem.com)

### Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Model Number: 9217
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/month



### Product Specification

- Classification: Chemical
- Name: Mold Release Agent
- Brand Name: Lubekote
- Appearance: Liquid
- Odor: Slight
- Place Of Origin: China
- Highlight: **Bathroom Washbasin Release Agent,  
Unsaturated Resin Release Agent,  
Liquid Release Agent**

## Product Description

### Release Agent for Unsaturated Resin Bathroom Washbasin

#### Product Overview

Specially formulated for casting processes, our *Bathroom Washbasin Release Agent* is designed to deliver seamless demolding for unsaturated polyester resin-based products, including those with or without gel coat layers. Ideal for molds requiring high precision and repeatability, this release agent ensures dry, hard film formation and consistent performance in demanding production environments.

#### Key Features

##### Superior Demolding Performance

Compatible with **unsaturated polyester resin systems**, even with fillers.

Smooth release for both **gel-coated and non-gel-coated washbasins**.

Forms a **dry, rigid film** for clean separation and reduced residue.

##### Optimized for New Molds

Pre-treatment recommendation: Apply **3 coats** to new molds.

Allow **5 minutes between coats**; wipe off excess after the final layer for flawless demolding.

##### Long-Lasting Efficiency

Supports **4-5 consecutive demolding cycles** without reapplication.

Maintains mold surface dryness and integrity, reducing downtime.

#### Applications

Casting production of bathroom washbasins using **unsaturated polyester resin** (with or without fillers).

Suitable for molds requiring high-frequency, repetitive demolding.

#### Usage Instructions

**Preparation:** Clean and dry the mold surface thoroughly.

**Shake Well:** Ensure uniform consistency before application.

##### Spray Application:

Apply **3 thin, even coats** to new molds.

Maintain **5-minute intervals** between coats.

After the final coat, gently wipe the surface with a clean cloth.

**Demolding:** Proceed with casting once the release film is fully dry.

#### More Lubekote release agent:

Application	Suitable code	Dispersing medium	Advantages
Seals & Gaskets	Lubekote 9165C	Water based	Can be used as both semi-permanent and highly diluted. Applied as semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective;
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.

Silicone & Fluorine rubber	Lubekote 9165C	Water based	Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;
----------------------------	----------------	-------------	---





## Warehousing and logistics




It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.



## Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



**Shanghai Lorechem Company Limited**



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai