

Automotive Headliner Mold Release Agent 9120M-1 Water-Based

Basic Information

- Place of Origin:
- Brand Name:Model Number:
- Model Number: xxxxx
 Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days

China

T/T

Lubekote

- Payment Terms:
- Supply Ability: 20T/week



Product Specification

- Classification:
- Name:
- Brand Name:
- Odor:
- Place Of Origin:
- Application:
- Highlight:
- Mold Release Agent Lubekote

Chemical

- Slight China
- igin.
 - Demolding For Car Roof
 - 9120M-1 Mold Release Agent, Water Based Mold Release Agent, Automotive Headliner Mold Release Agent

for more products please visit us on shlorechem.com

Product Description

Automotive Headliner Mold Release Agent 9120M-1 Water-Based

Product Description:

The **9120M-1** Automotive Headliner Mold Release Agent is a premium water-based formula designed for efficient, ecofriendly mold release in automotive headliner production. Specially engineered to deliver consistent performance, this agent ensures smooth demolding while preserving tooling integrity and supporting secondary bonding processes.

Key Features:

Water-Based & Eco-Friendly: Non-toxic, low-VOC formula ensures workplace safety and environmental compliance. Optimal Dilution Ratio: Use at a 1:10 dilution (agent-to-water) for cost-effective application and uniform coverage. Versatile Application:

Automatic Spray Systems: Apply every mold cycle for seamless, high-speed production.

Manual Spray Guns: Suitable for every 2-4 cycles, ideal for smaller operations or touch-ups.

Secondary Bonding Compatibility: Leaves no residual film, ensuring adhesion readiness for paints, adhesives, or coatings.

Extended Tool Life: Achieve 800-1,200 cycles per application, reducing downtime and maintenance costs.

Ideal For:

Automotive headliner manufacturing

Upholstery and composite material molding

High-volume or precision mold operations

Benefits:

Enhanced Efficiency: Reduces sticking and cleanup time for faster cycle times.

Durable Performance: Protects molds from wear, extending lifespan.

Sustainable Choice: Water-based composition minimizes environmental impact.

More release agent for Rubber Industry:

Application	Suitable code	Dispersing medium	Advantages	
Antivibration	Lubekote 9421A/ 9140	Water based	Environmentally friendly; Can be diluted multiple times; It has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Prolongs the mold cleaning cycle.	
Antivibration	Lubekote 9526	Solvent based	It has strong durability and good releasing effect; Excellent performance of surface gloss; Economical dosage; Prolongs the mold cleaning cycle.Excellent performance of surface gloss; Cost-effective; Good performance on post process; Prolongs the mold cleaning cycle applied as both semi-permanent and highly diluted.	
Antivibration	Lubekote 9425	Solvent based	It has strong durability and good releasing effect; Less build-up on molds; Cost-effective; Good performance on post process.	
Hose	Lubekote 9240	Water based	Environmentally friendly; Excellent anti-tack agent for rollers, drums and autoclave vulcanisation operations	
Hose	Lubekote 9808	Solvent based	Non greasy, non contaminating coating; Good releasing effect; Excellent performance of produced parts.	
Belt	Lubekote 9836A	Water based	Environmentally friendly; Good releasing effect.	
Belt	Lubekote 9328	Solvent based	Fast drying; Good releasing effect; Cost-effective.	
Tire	Lubekote 9919	Water based	Semi-permanent lubricant system designed for coating of Bladders and touch up coats on Bladders or Green Tires; Easy to apply; Provides true multiple releases; Universal for all tires.	
Tire	Lubekote 9502A/9503A	Water based	Semi-permanent water-based release agent applied on tire molds. The gloss level of part surface gloss is adjustable.	

Silicone & Fluorine rubber	Water based	fluorine rubber highly diluted. and good relea surface gloss; process;
----------------------------------	-------------	--

Applied for releasing hard-to-release rubber such as fluorine rubber ; Can be used as both semi-permanent and highly diluted. As semi-permanent it has strong durability and good releasing effect; Excellent performance of surface gloss; Cost-effective; Good performance on post process;



















Handling precautions:

For industrial use only.



registered in China. Both of them are well known in the industry. Shanghai LoreChem 's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.

