

#### Polyurethane PU Mold Release Agent White Liquid for shoe sole demoulding

#### **Basic Information**

Place of Origin: China
Brand Name: Lubekote
Certification: ISO
Model Number: xxxxx
Minimum Order Quantity: None
Price: 1-99 usd
Packaging Details: 25L, 200L

• Delivery Time: 5-15 working days

• Payment Terms: T/T

Supply Ability: 20T/week



#### **Product Specification**

Classification: Chemical

Name: Mold Release Agent

Brand Name: Lubekote
Appearance: White Liquid
Odor: Slight
Place Of Origin: China

Application: PU Shoe Sole Demoulding

Mould Temperature: 35-45

Diluent: Deionized Or Distilled Water

• Highlight: PU mold release agent for shoe soles,

white liquid mold release agent,

polyurethane shoe sole demoulding spray

# Polyurethane PU Mold Release Agent White Liquid for shoe sole demoulding

#### **Product Specifications**

Classification:	Chemical
Name	Mold Release Agent
Brand Name	Lubekote
Appearance	White Liquid
Odor	Slight
Place of Origin	China
Application	PU shoe sole demoulding
Mould Temperature	35-45
Diluent	Deionized or distilled water

#### **Product Description**

Water Based Release Agent for PU/Polyurethane Shoe Sole Factory China Lubekote 75-9017

#### **Properties**

Colour: white

Density: 0.97-1.03 g/cm<sup>3</sup> Shelf life: 12 months

#### **Application Field**

PU shoe soles.

#### **Advantages**

Easy to use

Environmental friendly

Prevents build up on the molds

Non greasy, non contaminating coating

Excellent performance of produced parts

Excellent release properties

#### **Application Instructions**

Molds should be clean before using 75-9017. We recommend our cleaner CL 909.

Apply a thin coat of 75-9017.

Wait until the water is evaporated.

Start production

#### **More Lubekote Release Agents**

Applic ation	Suitable Code	Dispersin g Medium	Advantages
CPU	Lubekot e 9120	Water based	Environmentally friendly; Easy to apply; Prolongs the mold cleaning cycle.
CPU	Lubekot e 9020	Solvent based	Highly diluted; Multiple releases; Gloss finish.
Rigid foam	Lubekot e 9701	Solvent based	Dry surface; Good performance on post process; Dilutable.
Rigid foam	Lubekot e 925L	Solvent based	Excellent and multiple releases; Highly diluted.
Flexibl e foam	Lubekot e 9820A	Water based	Environmentally friendly; Low VOC; Delicate skin, highly diluted; Less contaminating mold.
ISF	Lubekot e 9810G	Water based	5~10 times dilution; Cost-effective; Less contaminating mold; strong demolding; Universal for all ISF.
Encap sulatio n	Lubekot e 9808E	Water based	Matt finish; Excellent performance of produced parts; Less contaminating mold; strong demolding; Universal for all encapsulation.













## Warehousing and logistics



It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.





### **Technical support**





Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry.

Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai