

Polyurethane PU Mold Release Agent White Liquid for shoe sole demoulding

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Lubekote
- Certification: ISO
- Model Number: xxxxx
- Minimum Order Quantity: None
- Price: 1-99 usd
- Packaging Details: 25L, 200L
- Delivery Time: 5-15 working days
- Payment Terms: T/T
- Supply Ability: 20T/week



Product Specification

- Classification: Chemical
- Name: Mold Release Agent
- Brand Name: Lubekote
- Appearance: White Liquid
- Odor: Slight
- Place Of Origin: China
- Application: PU Shoe Sole Demoulding
- Mould Temperature: 35-45
- Diluent: Deionized Or Distilled Water
- Highlight: **PU mold release agent for shoe soles, white liquid mold release agent, polyurethane shoe sole demoulding spray**

for more products please visit us on shlorechem.com

Product Description

Polyurethane PU Mold Release Agent White Liquid for shoe sole demoulding

Product Specifications

Classification:	Chemical
Name	Mold Release Agent
Brand Name	Lubekote
Appearance	White Liquid
Odor	Slight
Place of Origin	China
Application	PU shoe sole demoulding
Mould Temperature	35-45
Diluent	Deionized or distilled water

Product Description

Water Based Release Agent for PU/Polyurethane Shoe Sole Factory China Lubekote 75-9017

Properties

Colour: white

Density: 0.97-1.03 g/cm³

Shelf life: 12 months

Application Field

PU shoe soles.

Advantages

Easy to use

Environmental friendly

Prevents build up on the molds

Non greasy, non contaminating coating

Excellent performance of produced parts

Excellent release properties

Application Instructions

Molds should be clean before using 75-9017. We recommend our cleaner CL 909.

Apply a thin coat of 75-9017.

Wait until the water is evaporated.

Start production

More Lubekote Release Agents

Applic ation	Suitable Code	Dispersin g Medium	Advantages
CPU	Lubekot e 9120	Water based	Environmentally friendly; Easy to apply; Prolongs the mold cleaning cycle.
CPU	Lubekot e 9020	Solvent based	Highly diluted; Multiple releases; Gloss finish.
Rigid foam	Lubekot e 9701	Solvent based	Dry surface; Good performance on post process; Dilutable.
Rigid foam	Lubekot e 925L	Solvent based	Excellent and multiple releases; Highly diluted.
Flexibl e foam	Lubekot e 9820A	Water based	Environmentally friendly; Low VOC; Delicate skin, highly diluted; Less contaminating mold.
ISF	Lubekot e 9810G	Water based	5~10 times dilution; Cost-effective; Less contaminating mold; strong demolding; Universal for all ISF.
Encap sulation	Lubekot e 9808E	Water based	Matt finish; Excellent performance of produced parts; Less contaminating mold; strong demolding; Universal for all encapsulation.









Warehousing and logistics




It has nearly 5,000 square meters of cargo storage area. Eight employees work full-time in warehousing.





Technical support



Making adjustment in the field



Shanghai Lorechem has a professional technical service team, whose members are specialized in polymer materials engineering. They have a wealth of field testing.

Testing in the field



Shanghai LoreChem Co., Ltd. was established in 2008. It is a high-tech enterprise which is dedicated to serve releasing products which involve semi-permanent release agent, anti-sticking, surface lubrication and thermal reactive adhesive. Shanghai LoreChem has been improving product quality for 15 years. The releasing products are mainly applied in rubber, polyurethane and composite industry. The brand of Lubekote for release agent and Thinkbond for adhesive have been registered in China. Both of them are well known in the industry. Shanghai LoreChem's business is all over the domestic and foreign high-end production enterprises by providing professional technical solutions and services. The company's long-term goal is to become one of the best suppliers of release agent in Asia.



Shanghai Lorechem Company Limited



15901891635



export@lorechem.com



shlorechem.com

Floor 2-3, Building 20, Hongxing International Plaza, Lane 1818, Lianhang Road, Pujiang, Shanghai